

塗料



**Polisan**

HOME COSMETICS



CONSTRUCTION GROUP  
**PRODUCT CATALOGUE**



# FEEL THE *Colours*



[polisankansai.com](http://polisankansai.com)

[f](https://www.facebook.com/polisanhomecosmetics) [@](https://www.instagram.com/polisanhomecosmetics) /polisanhomecosmetics

# WE ARE MORE COLORFUL AND STRONGER!

We are still the color of Turkey, now much stronger with our new factory equipped with the cutting edge technology.



- ✓ **FULLY-AUTOMATED**
- ✓ **540 THOUSAND TONNES CAPACITY (AS BIG AS THE OVERALL TURKISH PAINT MARKET)**
- ✓ **142 SQM FACTORY SITE**
- ✓ **ENVIRONMENT-FRIENDLY AND HAS HIGH ENERGY EFFICIENCY, BEING THE FIRST LEED GOLD OF TURKEY CERTIFIED PAINT FACTORY**
- ✓ **CONSTRUCTED ACCORDING TO INTERNATIONAL STANDARDS WITH EN 1090-2 CERTIFICATION**



# TABLE OF CONTENTS

Interior Product Range

Exterior Product Range

Mix Center Color Pastes

Primer & Paste Product Range

Wooden & Metal Product Range

Wood Care Products and Varnishes

Special Purpose Products

Auxiliary Products Group

XI Art Product Range

Prof Product Group



## COMPARISON OF **ELEGANS** PRODUCTS

<b>Interior</b>	<b>Elegans Infinity</b>	<b>Elegans Semi Matte</b>	<b>Elegans Soft Matte</b>	<b>Elegans Extra Semi Matte</b>	<b>Elegans Extra Matte</b>
<b>Brightness</b>	Flat Matte	Semi Matte	Soft Matte	Semi Matte	Matte
<b>Impact Mark Resistance</b>	•				
<b>VOC Compliant</b>	•	•	•	•	•
<b>Antibacterial</b>				•	•
<b>Erasability</b>	••	••	••	••	••
<b>Extra Square Meters</b>		•	•	•	•
<b>Odorless</b>	•	•	•	•	•
<b>Coverage</b>	••	••	••	••	••
<b>Thinning Rate</b>	%10	%15-20	%15-20	%15-20	%15-20
<b>Area that can be painted with 1 L in a single coat</b>	18-20 m <sup>2</sup> /L	18-26,5 m <sup>2</sup> /L	18-26,5 m <sup>2</sup> /L	18-26,5 m <sup>2</sup> /L	18-26,5 m <sup>2</sup> /L

# Interior Product Range



## 25E - ELEGANS INFINITY

Water-based, acrylic copolymer resin-based, washable, matte, decorative topcoat interior paint.



- Anti-burnish
- Non-fading
- Dust and stain repellent

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

18-20 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10% by volume with water

**RECOMMENDED APPARATUS**  
Satin roller, brush

#### Container Size

12,5 L

2,5 L

Product Code	Product Name	Container Size
25E	ELEGANS INFINITY A BASE	12,5 L
		2,5 L
25E	ELEGANS INFINITY B BASE	12,5 L
		2,5 L
25E	ELEGANS INFINITY C BASE	12,5 L
		2,5 L



## 253 - ELEGANS EXTRA SEMI MATTE

Water-based, acrylic resin, bridges all capillary cracks with its flexible structure, silicone-modified, decorative semi matte, topcoat interior paint.



- Anti-fungal and anti-mold
- Non-fading
- Dust and stain repellent
- Silicone-modified
- Elastic

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

18-26,5 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Satin roller

#### Container Size

15 L

12,5 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
256	ELEGANS EXTRA SEMI MATTE A+ BASE	15 L
		12,5 L
		7,5 L
		2,5 L
256	ELEGANS EXTRA SEMI MATTE B1 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
256	ELEGANS EXTRA SEMI MATTE B2 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
256	ELEGANS EXTRA SEMI MATTE B3 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
256	ELEGANS EXTRA SEMI MATTE C BASE	15 L
		12,5 L
		7,5 L
		2,5 L



## 247 - ELEGANS EXTRA MATTE

Water-based, acrylic resin, bridges all capillary cracks with its flexible structure, silicone-modified, decorative topcoat interior paint.



Anti-bacterial



Low VOC



Perfect Wipe Clean



Extra Coverage



Odorless

- Anti-fungal and anti-mold
- Extra coverage
- Non-fading
- Dust and stain repellent
- Silicone-modified
- Elastic

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

18-26,5 sqm/L for a single coat

#### THINNING/BLENDING RATIO

15-20% by volume with water

#### RECOMMENDED APPARATUS

Satin roller

#### Container Size

12,5 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
255	ELEGANS EXTRA MATTE A BASE	12,5 L
		7,5 L
		2,5 L
255	ELEGANS EXTRA MATTE B1 BASE	12,5 L
		7,5 L
		2,5 L
255	ELEGANS EXTRA MATTE B2 BASE	12,5 L
		7,5 L
		2,5 L
255	ELEGANS EXTRA MATTE B3 BASE	12,5 L
		7,5 L
		2,5 L
255	ELEGANS EXTRA MATTE C BASE	12,5 L
		7,5 L
		2,5 L







## 25C - ELEGANS SEMI MATTE

Water-based, acrylic copolymer resin, silicone-modified, semi matte, decorative topcoat interior paint.



Extra Coverage

Low VOC

Perfect Wipe Clean



Flexible

Odorless

- High coverage
- Bridges all capillary cracks with its flexible structure
- Non-fading

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

18-26,5 sqm/L for a single coat

#### THINNING/BLENDING RATIO

15-20% by volume with water

#### RECOMMENDED APPARATUS

Satin roller, brush

### Container Size

15 L

12,5 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
25C	ELEGANS SEMI MATTE A+ BASE	15 L
		12,5 L
		7,5 L
		2,5 L
25C	ELEGANS SEMI MATTE B1 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
25C	ELEGANS SEMI MATTE B2 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
25C	ELEGANS SEMI MATTE B3 BASE	15 L
		12,5 L
		7,5 L
		2,5 L
25C	ELEGANS SEMI MATTE C BASE	15 L
		12,5 L
		7,5 L
		2,5 L





## 25B - ELEGANS SOFT MATTE

Water-based, acrylic copolymer resin, silicone-modified, soft matte, decorative topcoat interior paint.



Extra Coverage

Low VOC

Perfect Wipe Clean



Flexible

Odorless

- High coverage
- Bridges all capillary cracks with its flexible structure
- Non-fading

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

18-26,5 sqm/L for a single coat

#### THINNING/BLENDING RATIO

15-20% by volume with water

#### RECOMMENDED APPARATUS

Satin roller, brush

#### Container Size

12,5 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
25B	ELEGANS SOFT MATTE A+ BASE	12,5 L
		7,5 L
		2,5 L
25B	ELEGANS SOFT MATTE B1 BASE	12,5 L
		7,5 L
		2,5 L
25B	ELEGANS SOFT MATTE B2 BASE	12,5 L
		7,5 L
		2,5 L
25B	ELEGANS SOFT MATTE B3 BASE	12,5 L
		7,5 L
		2,5 L
25B	ELEGANS SOFT MATTE C BASE	12,5 L
		7,5 L
		2,5 L



## 448 - MATRIX SEMI MATTE

An alkyd binder-based, synthetic semi matte topcoat paint.



Lead-free

- Washable
- Durable
- Perfect surface appearance and satin matteness
- High coverage
- Dries fast
- Flexible
- Won't brush mark

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

15-20 sqm/L for a single coat

#### THINNING/BLENDING RATIO

15-20% by volume with Synthetic Thinner

#### RECOMMENDED APPARATUS

Satin roller, brush

Product Code	Product Name	Container Size
448	MATRIX SEMI MATTE	15 L
		2,5 L



## 31A - Q1 LUX PLASTIC

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
13-16 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Satin roller, brush

Container Size
15 L
7,5 L
2,5 L

A water-based, acrylic copolymer-based, matte, washable, decorative interior top coat paint.



- Easy to apply
- High coverage
- Does not show surface defects
- Provides ease of retouching

Product Code	Product Name	Container Size
31B	Q1 LUX PLASTIC A BASE	15 L
		7,5 L
		2,5 L
31B	Q1 LUX PLASTIC B BASE	15 L
		7,5 L
		2,5 L
31B	Q1 LUX PLASTIC C BASE	15 L
		7,5 L
		2,5 L



## 280 - PRIMERA SILICONE MATTE

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12-14 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
20-25% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Container Size
15 L
12 L
7,5 L
2,5 L

Water-based, acrylic resin, silicone-modified decorative top coat matte interior paint.



Product Code	Product Name	Container Size
282	PRIMERA SILICONE MATTE A BASE	15 L
		12 L
		7,5 L
		2,5 L
282	PRIMERA SILICONE MATTE B BASE	15 L
		12 L
		7,5 L
		2,5 L
282	PRIMERA SILICONE MATTE C BASE	15 L
		12 L
		7,5 L
		2,5 L



## 27A - PRIMERA PLAST

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
11-13 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Container Size
15 L
2,5 L

Water-based, acrylic resin, silicone-modified decorative top coat matte interior paint.



Product Code	Product Name	Container Size
27A	PRIMERA PLAST BASE	15 L
		2,5 L



## 32C - PERLA SEMI MATTE ANTIBACTERIAL

**CONSUMPTION SPECIFICATIONS**


**COVERAGE AREA**  
15-18 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-20% by volume with water

**RECOMMENDED APPARATUS**  
Satin roller

Container Size
12,5 L
7,5 L
2,5 L

Water-based, acrylic emulsion resin, silicone-modified decorative top coat semi matte interior paint.



- Dust and stain repellent

Product Code	Product Name	Container Size
32D	PERLA SEMI MATTE ANTIBACTERIAL A BASE	12,5 L
		7,5 L
		2,5 L
32D	PERLA SEMI MATTE ANTIBACTERIAL B BASE	12,5 L
		7,5 L
		2,5 L
32D	PERLA SEMI MATTE ANTIBACTERIAL C BASE	12,5 L
		7,5 L
		2,5 L



## 268 - PERLA SILICONE MATTE

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
11-13 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Container Size
12,5 L
7,5 L
2,5 L

Water-based, acrylic resin, silicone-modified decorative top coat matte interior paint.



- High water vapor permeability

Product Code	Product Name	Container Size
288	PERLA SILICONE MATTE BASE	12,5 L
		7,5 L
		2,5 L



## 269 - PERLA MATTE

Water- and acrylic resin-based decorative top coat matte plastic interior paint.



**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
11-13 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Container Size
12,5 L
2,5 L

Product Code	Product Name	Container Size
289	PERLA MATTE BASE	12,5 L
		2,5 L



## 254 - ELEGANS EXTRA CEILING

Water- and acrylic resin-based, flat matte, antibacterial plastic ceiling paint with high coverage that prevents mold and fungi. Extra white, easy to apply and non-splash.



**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Product Code	Product Name	Container Size
254	ELEGANS EXTRA CEILING	17,5 kg
		10 kg
		3,5 kg

- Smooth
- Breathability
- Does not crack, bubble or peel
- Anti-fungal and anti-mold
- Does not leave brush or roller marks



## 331 - CEILING ULTRA

Water-based, acrylic-resin, flat matte plastic ceiling paint.



- Smooth appearance
- Breathability
- Won't brush mark

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
5-7 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
20-30% by volume with water


**RECOMMENDED APPARATUS**  
Interior paint roller

Product Code	Product Name	Container Size
331	CEILING ULTRA	17,5 kg
		10 kg
		3,5 kg
		1 kg



## 313 - PERLA CEILING

Water- and acrylic-resin based, matte plastic ceiling paint.



- Breathability

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
5-7 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with water

**RECOMMENDED APPARATUS**  
Brush, roller

Product Code	Product Name	Container Size
313	PERLA CEILING	17,5 kg
		10 kg
		3,5 kg



## 293 - COSMETIKA NACRE

**CONSUMPTION SPECIFICATIONS**  
**COVERAGE AREA**  
15-20 sqm/L for a single coat  
**THINNING/BLENDING RATIO**  
Ready to use  
**RECOMMENDED APPARATUS**  
Special satin finishing tool

Water- and pure acrylic resin-based interior effect paint that creates pearl-bright nacreous patterns on the surface depending on the reflection of the light when it is applied with different tools.



Pearl-bright    Odorless    Flexible

Product Code	Product Name	Container Size
293	COSMETIKA NACRE	15 L
		7,5 L
		2,5 L
		0,75 L

- Can be encolored



# ANTI-CARBONIZATION EXTERIOR PAINT

- 100% pure acrylic resin based
- Extends the life of the building by preventing corrosion
- Flexible, prevents cracks since the paint layer moves parallel to the surface
  - Reduces building maintenance and repair costs
  - High stain resistance
- Vivid and radiant colors for many years





# Exterior Product Range



## 386 - EXELANS TURBO FLEX C1

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
1,5-2,5 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Exterior surface, coral roller

Container Size

15 L

100% pure acrylic-resin based, superior performance exterior paint.



100%  
Pure Acrylic



High UV  
Resistance



Flexible

Product Code	Product Name	Container Size
390	EXELANS TURBO FLEX C1 A BASE	15 L
390	EXELANS TURBO FLEX C1 B BASE	15 L
390	EXELANS TURBO FLEX C1 C BASE	15 L

- Organic-inorganic hybrid structure
- Prevention of micro-crack formation with high elasticity, and avoiding corrosion formation in the structure
- Stops carbon dioxide penetration and extends building lifetime
- Creates a barrier to avoid penetration of harmful gases such as CO<sub>2</sub> and Cl into the structure
- Prevents sunlight from deforming and discoloring the paint film, ensuring a longer lifetime

- High alkali resistance makes it withstand damp weather, moisture and salt water
- Can be applied in corrodible areas such as parking lots, bridges, subways
- High water resistance and stain resistance
- Applicable in all season





## 383 - EXELANS TURBO SEMI MATTE

100% pure acrylic binder-based, water-based, silicone-modified semi matte exterior paint.



100% Pure Acrylic

High UV Resistance

Easy Dispersion

- High coverage
- Low pollution tendency
- Easy dispersion and application comfort
- Longevity with resistance to sunlight
- High alkali resistance which makes it withstand damp weather, moisture and salt water
- Applicable in all seasons
- Breathability of the surface with its silicone content, prevents moisture from building up on interior and exterior surfaces
- Prevents water penetration of the surface with high water repellence

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
12-14 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
5% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

### Container Size

15 L

2,5 L

Product Code	Product Name	Container Size
384	EXELANS TURBO SEMI MATTE A BASE	15 L
		2,5 L
384	EXELANS TURBO SEMI MATTE B1 BASE	15 L
		2,5 L
384	EXELANS TURBO SEMI MATTE B2 BASE	15 L
		2,5 L
384	EXELANS TURBO SEMI MATTE B3 BASE	15 L
		2,5 L
384	EXELANS TURBO SEMI MATTE C BASE	15 L
		2,5 L



## 411 - EXELANS DEFENCE

It is a water-based, acrylic copolymer binder based, self-cleaning, silicone and matt decorative exterior paint with photocatalytic properties.



High UV Resistance

Self-clean

Flexible

- Photocatalytic
- High protection
- High coverage

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
10-12 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

### Container Size

15 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
411	EXELANS DEFENCE A BASE	15 L
		7,5 L
		2,5 L
411	EXELANS DEFENCE B1 BASE	15 L
		7,5 L
		2,5 L
411	EXELANS DEFENCE B2 BASE	15 L
		7,5 L
		2,5 L
411	EXELANS DEFENCE B3 BASE	15 L
		7,5 L
		2,5 L
411	EXELANS DEFENCE C BASE	15 L
		7,5 L
		2,5 L



## 361 - EXELANS FLAT

Water- and acrylic-resin based, silicone, matte exterior paint,



- Self-cleaning Hydron feature
- Prevention of micro-crack formation owing to its flexible structure
- Prevention of humid accumulation on the interior and exterior surface
- Prevents water penetration of the surface with high water repellence
- Longevity with resistance to sunlight
- Applicable in all seasons
- High alkali resistance which makes it withstand damp weather, moisture and salt water

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
10-12 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

### Container Size

15 L
7,5 L
2,5 L

Product Code	Product Name	Container Size
366	EXELANS FLAT A BASE	15 L
		7,5 L
		2,5 L
366	EXELANS FLAT B1 BASE	15 L
		7,5 L
		2,5 L
366	EXELANS FLAT B2 BASE	15 L
		7,5 L
		2,5 L
366	EXELANS FLAT B3 BASE	15 L
		7,5 L
		2,5 L
366	EXELANS FLAT C BASE	15 L
		7,5 L
		2,5 L



## 376 - EXELANS MACRO

Water- and acrylic-resin based, silicone, flat matte exterior paint.



- High mechanical resistance
- Prevention of humid accumulation on the interior and exterior surface
- Self-cleaning Hydron feature
- High water repellence with silicone content
- Longevity with resistance to sunlight
- Easy-to-apply

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
10-12 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-15% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

### Container Size

15 L
7,5 L
2,5 L

Product Code	Product Name	Container Size
377	EXELANS MACRO A BASE	15 L
		7,5 L
		2,5 L
377	EXELANS MACRO B1 BASE	15 L
		7,5 L
		2,5 L
377	EXELANS MACRO B2 BASE	15 L
		7,5 L
		2,5 L
377	EXELANS MACRO B3 BASE	15 L
		7,5 L
		2,5 L
377	EXELANS MACRO C BASE	15 L
		7,5 L
		2,5 L



## 410 - EXELANS RESISTA

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1-1,5 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Exterior paint roller

Container Size
15 L
7,5 L
2,5 L

Pure acrylic binder-based exterior paint with solid mineral particles for medium textures, semi matte finish and superior performance.



Has High Resistance to Challenging Weather Conditions



Flexible



Grained



High UV Resistance

- Has high resistance to challenging weather conditions with its special formula
- Conceals minor flaws of the surface with its flexible structure, and forms a smooth texture
- Its solid mineral particles provide a decorative look, it disperses homogeneously and it is easy to apply
- With its pure acrylic binder formula and resistant structure against UV lights, it provides colors resistant for many years

Product Code	Product Name	Container Size
410	EXELANS RESISTA A BASE	15 L
		7,5 L
		2,5 L
410	EXELANS RESISTA C BASE	15 L
		7,5 L
		2,5 L



## 356 - A1 SILICONE FLAT

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-15% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

Container Size
15 L
7,5 L
2,5 L

Water- and acrylic-resin based, silicone exterior paint.



High UV Resistance

- Prevents water penetration of the surface with high water repellence
- High alkali resistance which makes it withstand damp weather, moisture and salt water
- Longevity with resistance to sunlight
- Prevention of humid accumulation on the interior and exterior surface

Product Code	Product Name	Container Size
372	A1 SILICONE FLAT A BASE	15 L
		7,5 L
		2,5 L
372	A1 SILICONE FLAT B1 BASE	15 L
		7,5 L
		2,5 L
372	A1 SILICONE FLAT B2 BASE	15 L
		7,5 L
		2,5 L
372	A1 SILICONE FLAT B3 BASE	15 L
		7,5 L
		2,5 L
372	A1 SILICONE FLAT C BASE	15 L
		7,5 L
		2,5 L



## 350 - A1 ACRYLIC FLAT

Water and acrylic-resin based exterior paint.



- High alkali resistance
- Resistant to sunlight, rain, humidity and salty humidity on the seaside
- Easy-to-apply
- High coverage

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

8-10 sqm/L for a single coat

#### THINNING/BLENDING RATIO

10-15% by volume with water

#### RECOMMENDED APPARATUS

Exterior paint roller

#### Container Size

15 L

7,5 L

2,5 L

Product Code	Product Name	Container Size
371	A1 ACRYLIC FLAT A BASE	15 L
		7,5 L
		2,5 L
371	A1 ACRYLIC FLAT B1 BASE	15 L
		7,5 L
		2,5 L
371	A1 ACRYLIC FLAT B2 BASE	15 L
		7,5 L
		2,5 L
371	A1 ACRYLIC FLAT B3 BASE	15 L
		7,5 L
		2,5 L
371	A1 ACRYLIC FLAT C BASE	15 L
		7,5 L
		2,5 L



## 378 - PERLA EXTERIOR SILICONE PAINT

Water and acrylic-resin based, silicone exterior paint.



- High alkali resistance which makes it withstand sunlight, damp weather, moisture and salt water
- Water repellent
- Water vapor permeability that allow moisture to discharge

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

8-10 sqm/L for a single coat

#### THINNING/BLENDING RATIO

10-15% by volume with water

#### RECOMMENDED APPARATUS

Exterior paint roller

#### Container Size

15 L

2,5 L

Product Code	Product Name	Container Size
381	PERLA EXTERIOR SILICONE PAINT A BASE	15 L
		2,5 L
381	PERLA EXTERIOR SILICONE PAINT B BASE	15 L
		2,5 L
381	PERLA EXTERIOR SILICONE PAINT C BASE	15 L
		2,5 L



## 357 - A1 SILICONE ROUGH TEXTURE

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1-1,5 sqm/kg for a single coat


**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Exterior paint roller

Container Size

25 kg

Water and acrylic resin based silicone rough matte exterior coating suitable for fine-patterned roller application.



Product Code	Product Name	Container Size
374	A1 SILICONE ROUGH TEXTURE A BASE	15 L
374	A1 SILICONE ROUGH TEXTURE B BASE	15 L
374	A1 SILICONE ROUGH TEXTURE C BASE	15 L

- Provides breathability of the surface, and prevents moisture from building up on interior and exterior surfaces
- Longevity with resistance to sunlight
- High alkali resistance which makes it withstand damp weather, moisture and salt water



## 369 - EXELANS DECORATIVE ROUGH TEXTURE

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1-1,5 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
5% by volume with water

**RECOMMENDED APPARATUS**  
Exterior paint roller

Water and acrylic resin based silicone rough matte exterior coating suitable for fine-patterned roller application.



Product Code	Product Name	Container Size
369	EXELANS DECORATIVE ROUGH TEXTURE	25 kg

- Protection of surfaces against molds, fungi, and mildew that may form in very moist environments
- Provides breathability to prevent moisture from building up between interior and exterior walls and harming both surfaces
- Longevity with resistance to sunlight
- High alkali resistance which makes it withstand damp weather, moisture and salt water



## 380 - PERLA PATTERN COAT

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1-1,5 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Exterior paint roller

Water- and acrylic-resin based grained exterior coating.



Product Code	Product Name	Container Size
380	PERLA PATTERN COAT	20 kg

- High alkali resistance which makes it withstand damp weather, moisture and salt water
- A decorative appearance thanks to its grained structure
- Disperses homogeneously and easy to apply



NO PRICE  
DIFFERENCE,\*  
THE SAME QUALITY  
IN YOUR DREAM  
COLORS.

**Polisan Mix Center®  
Offers Infinite Color Options**

\*Price may vary for a limited number of colors



## Mix Center Color Pastes

Product Code	Product Name	Container Size
657	DSB YELLOW	1 L
657	DOB ORANGE	1 L
657	OA ORANGE	1 L
673	PW1 WHITE	1 L
673	PY1 YELLOW	1 L
673	PXY OXIDE YELLOW	1 L
673	PR1 RED	1 L
673	PXR OXIDE RED	1 L
673	PV1 VIOLET	1 L
673	PBL BLUE	1 L
673	PGR GREEN	1 L
673	PBK BLACK	1 L
673	PR2 RED	1 L
673	OBL BLACK	1 L

# Primer & Paste Product Range



## 766 - A-STAR PRIMER

**CONSUMPTION SPECIFICATIONS**  
**COVERAGE AREA**  
 18-20 sqm/L for a single coat  
**THINNING/BLENDING RATIO**  
 100% by volume with water  
**RECOMMENDED APPARATUS**  
 Brush and roller

Water and acrylic-resin based, interior and exterior primer.

- High alkali resistance
- Perfect penetration and equal filling of the surface
- Reduces top coat paint consumption by 15-20%
- Provides dust-proofing on the applied surface

Product Code	Product Name	Container Size
766	A-STAR PRIMER	10 kg
		5 kg



## 592 - TRANSFER PRIMER

**CONSUMPTION SPECIFICATIONS**  
**COVERAGE AREA**  
 10 sqm/L for a single coat  
**THINNING/BLENDING RATIO**  
 10% by volume with water  
**RECOMMENDED APPARATUS**  
 Brush and roller

Water-based, acrylic resin-based primer for transition from oil-based paint to water-based paint.

- Ensures the new water-based paint layer adheres well to the old solvent-based paint layer
- Enables the finishing water-based sateen paint coat to have better coverage

Product Code	Product Name	Container Size
592	TRANSFER PRIMER	15 L
		7,5 L
		2,5 L



## 594 - FILLER PRIMER

**CONSUMPTION SPECIFICATIONS**  
**COVERAGE AREA**  
 10-12 sqm/L for a single coat  
**THINNING/BLENDING RATIO**  
 10-15% by volume with water  
**RECOMMENDED APPARATUS**  
 Brush and roller

Water and acrylic resin-based, silicon-added ready-to-use interior primer with filler, which reduces paint consumption.

- High coverage
- With white filler
- Waterproof and vapor-permeable characteristics allow moisture to discharge
- It has high-coverage and adherence capability

Product Code	Product Name	Container Size
594	FILLER PRIMER	20 kg





## 608 - EXPOSED CONCRETE PRIMER

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
7,5-10,5 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
50% by volume with water

**RECOMMENDED APPARATUS**  
Brush and roller

Water and acrylic resin-based paint primer that increases the adherence of cement and gypsum based plaster on exposed concrete walls and ceilings. Also used as a paint primer on exposed concrete surfaces.

- Increases the work time and workability of the surface
- Prevents early drying and reduces paint consumption
- Due to the silicon in its body, it reduces the moisture absorbing property of the surface and increases vapor absorbency
- Odorless

Product Code	Product Name	Container Size
608	EXPOSED CONCRETE PRIMER	12 kg



## 911 - POLIZOLAN

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
60-100 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
700% by volume with water

**RECOMMENDED APPARATUS**  
Interior paint roller

Water and acrylic resin-based paint primer.

- High water repellence
- Silicone-modified
- Reduces water absorbency of the plaster and reduces paint consumption
- Prevents humidity
- Prevents water leaks through surface cracks

Product Code	Product Name	Container Size
911	POLIZOLAN	15 L
		7,5 L
		2,5 L
		0,75 L



## 780 - PERLA PUTTY

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
0,67-2 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Trowel or spatula

Water and acrylic-resin based, odorless interior wall putty.

- Provides a smooth surface by filling cracks on the plaster surface
- An alternative to plaster, satin plaster and glutolin putty
- Easy-to-apply
- Dries quickly
- Breathability
- Resistant to water and humidity

Product Code	Product Name	Container Size
780	PERLA PUTTY	25 kg



## 589 - EXELANS PRIMER

Water and acrylic-resin based, silicone, filler exterior.

- Reduces paint consumption as it reduces water absorbency of the plaster
- Prevents crack formation on the surface with its elastic structure
- Improves coverage since it is a filler primer

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

Approximately 10-12 sqm/L  
(5-7 sqm/kg for single coat)

#### THINNING/BLENDING RATIO

50% by volume with water

#### RECOMMENDED APPARATUS

Brush and roller

Product Code	Product Name	Container Size
589	EXELANS PRIMER	15 L
		2,5 L



## 596 - A1 SILICONE PRIMER

Water and acrylic-resin based, silicone exterior primer.

- Preparing a solid base for topcoats
- Enables discharging the moisture by preventing water penetration and with its vapor-permeability

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

Approximately 10-12 sqm/L  
(5-7 sqm/kg for single coat)

#### THINNING/BLENDING RATIO

100% by volume with water

#### RECOMMENDED APPARATUS

Exterior paint roller

Product Code	Product Name	Container Size
596	A1 SILICONE PRIMER	20 kg
		10 kg



## 771 - PERLA EXTERIOR SILICONE PRIMER

Water and acrylic-resin based, silicone exterior primer resistant to lime and cement.

- High binding strength
- High coverage
- Reduction of water absorbance of the surface

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

5-7 sqm/kg for a single coat

#### THINNING/BLENDING RATIO

10% by volume with water

#### RECOMMENDED APPARATUS

Exterior paint roller

Product Code	Product Name	Container Size
771	PERLA EXTERIOR SILICONE PRIMER	20 kg
		10 kg



## 602 - A1 ACRYLIC PUTTY

<b>CONSUMPTION SPECIFICATIONS</b>
<b>COVERAGE AREA</b> Varies according to application
<b>THINNING/BLENDING RATIO</b> Ready to use
<b>RECOMMENDED APPARATUS</b> Trowel or spatula

Water and acrylic resin-based putty.

- Filling the cracks on the plaster surface
- Provision of a smooth surface

Product Code	Product Name	Container Size
602	A1 ACRYLIC PUTTY	25 kg
		3 kg



# Wooden & Metal Product Range



## 264 - X1 ANTI-AGING ODORLESS GLOSSY

Water-based, 100% pure acrylic resin-based, washable, odorless, glossy, decorative, final coat interior and exterior paint.



Gloss



Does Not Splash



High UV Resistance



Easy-to-apply



Perfect Wipe Clean



High Durability



Multisurface

- Good spread
- Good adhesion
- Does not crack, bubble or peel

### CONSUMPTION SPECIFICATIONS

#### COVERAGE AREA

15-20 sqm/L for a single coat

#### THINNING/BLENDING RATIO

10-15% on wood, 5% on metals

#### RECOMMENDED APPARATUS

Satin roller, brush

### Container Size

15 L

7,5 L

2,5 L

0,70 L

Product Code	Product Name	Container Size
265	X1 ANTI-AGING ODORLESS GLOSSY A BASE	15 L
		7,5 L
		2,5 L
		0,70 L
265	X1 ANTI-AGING ODORLESS GLOSSY B BASE	15 L
		7,5 L
		2,5 L
		0,70 L
265	X1 ANTI-AGING ODORLESS GLOSSY C BASE	15 L
		7,5 L
		2,5 L
		0,70 L





## 291 - X1 ANTI-AGING BARREL

It is a 100% pure acrylic, resin-based, water-based, odorless, decorative paint that can create a pearlescent, pearlescent effect when light hits the surface.

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller

Product Code	Product Name	Container Size
291	X1 ANTI-AGING BARREL	2,5 L
		0,70 L



## 453 - X1 ANTI-AGING GLOSS

Alkyd binder-based, synthetic topcoat paint.



Gloss



Lead-free



Good Spread

- High brightness
- High coverage
- Easy-to-apply
- Smooth surface forming
- Non-fading

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
15-20 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
15-20% by volume with Synthetic Thinner

**RECOMMENDED APPARATUS**  
Satin roller, brush

Product Code	Product Name	Container Size
453	X1 ANTI-AGING GLOSS	15 L
		7,5 L
		2,5 L
		0,70 L



## 667 - X1 AMERICAN PANEL DOOR PAINT

Water-based, acrylic resin-based, silk-matte topcoat panel door paint.



SILK MATTE



Perfect Wipe Clean



High Coverage



Easy-to-apply

- Odorless
- Coverage and protective

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
10-15 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller and paint gun

		Container Size
		2,5 L
		0,75 L

Product Code	Product Name	Container Size
319	X1 AMERICAN PANEL DOOR PAINT A BASE	2,5 L
319	X1 AMERICAN PANEL DOOR PAINT C BASE	2,5 L



## 454 - MATRIX GLOSS

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12-14 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10% by volume with Synthetic Thinner

**RECOMMENDED APPARATUS**  
Satin roller, brush

Alkyd binder-based, lead-free, glossy deluxe synthetic paint for finishing coat.



- Maintains its gloss for a long time
- High coverage
- Smooth surface forming

Product Code	Product Name	Container Size
454	MATRIX GLOSS	15 L
		2,5 L
		0,75 L



## 449 - MATRIX MATTE

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
15 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
No thinning is required in brush and roller application  
Thin by 30% for spray gun application

**RECOMMENDED APPARATUS**  
Satin roller, brush

Alkyd binder-based, matte, lead-free, decorative synthetic paint for finishing coat.



- High coverage
- Dries fast
- Does not brush mark

Product Code	Product Name	Container Size
449	MATRIX MATTE	15 L
		2,5 L
		0,75 L



## 441 - PRIMERA GLOSS

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
10-12 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
5-10% by volume with Synthetic Thinner

**RECOMMENDED APPARATUS**  
Satin roller, brush

Alkyd binder-based, lead-free, glossy synthetic paint for finishing coat.



- Maintains its gloss for a long time
- Smooth surface forming

Product Code	Product Name	Container Size
441	PRIMERA GLOSS	15 L
		7,5 L
		2,5 L
		0,75 L
		0,25 L



## 467 - POLİMETAL FLAT

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Satin roller, brush

Solvent-based bright top coat applicable directly on metal and rusted surfaces.



Gloss



Resistant to Harsh Weather Conditions



Good Spread



Application on Metal & Rusted Surfaces

Product Code	Product Name	Container Size
467	POLİMETAL FLAT	2,5 L
		0,75 L

- Highly effective against corrosion as primer and top coat
- Can create a homogeneous film with high spread feature
- Resistant to harsh climatic conditions such as very strong sunlight, high humidity, and temperature changes
- Perfect adherence to metal surfaces and rapid dry



## 468 - POLİMETAL HAMMER

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-20% by volume with Synthetic Thinner

**RECOMMENDED APPARATUS**  
Satin roller, brush

Directly applicable on metal, alkyd-resin based hammer patterned bright topcoat paint.



Gloss



Resistant to Harsh Weather Conditions



Good Spread



Hammer-patterned



Application on Metal & Rusted Surfaces

Product Code	Product Name	Container Size
468	POLİMETAL HAMMER	2,5 L
		0,75 L

- Highly effective against corrosion as primer and top coat
- Resistance to harsh climatic conditions such as very strong sunlight, high humidity, and temperature changes
- Perfect adherence to metal surfaces and rapid dry
- Hammer-patterned



## 470 - PRIMERA ANTIRUST

Alkyd binder-based, anti-corrosive primer.

- Rust inhibitor primer
- Creates a solid foundation for the application of synthetic paints
- Good adhesion
- High coverage
- Lead-free

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
13-15 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-15% by volume with synthetic thinner

**RECOMMENDED APPARATUS**  
Brush and roller

Product Code	Product Name	Container Size
470	PRIMERA ANTIRUST	15 L
		2,5 L
		0,70 L



## 479 - PERLA SERA ANTIRUST

Alkyd binder-based, anti-corrosive synthetic primer used for the protection of metal surfaces.

- Rust inhibitor primer
- Priming of metal surfaces
- Lead-free

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
10-15% by volume with synthetic thinner

**RECOMMENDED APPARATUS**  
Brush and roller

Product Code	Product Name	Container Size
479	PERLA SERA ANTIRUST	20 kg
		2,5 L



## 586 - PRIMERA SYNTHETIC PRIMER

Alkyd binder-based, synthetic primer.

- Won't brush mark
- Creates a proper and resistant layer under the finishing paint

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
8-10 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
5-10% by volume with synthetic thinner

**RECOMMENDED APPARATUS**  
Brush and roller

Product Code	Product Name	Container Size
586	PRIMERA SYNTHETIC PRIMER	20 kg
		10 kg
		2,5 L
		0,75 L





## 604 - SUPER PUTTY

Alkyd binder-based, synthetic putty.

- Easy to apply
- Resistant to water, sea, and severe weather conditions

**CONSUMPTION SPECIFICATIONS**

---

**COVERAGE AREA**  
Variable

---

**THINNING/BLENDING RATIO**  
Ready to use

---

**RECOMMENDED APPARATUS**  
Trowel or spatula

Product Code	Product Name	Container Size
604	SUPER PUTTY	3 kg
		0,80 kg
		0,40 kg



# Wood Care Products & Varnishes



## 575 - WOOD&WOOD ANTI-AGING WOOD VARNISH GLOSSY, WATER-BASED

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12-15 sqm/L depending on surface absorbency

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller and paint gun

Acrylic-based, colorless, water-based bright wood protective varnish.



- Perfect water repellence
- Conveniently applicable onto all soft and hard interior and exterior wood surfaces, doors, windows, garden furniture, and other wooden materials as a decorative protector

Product Code	Product Name	Container Size
575	WOOD&WOOD ANTI AGING WOOD VARNISH GLOSSY, WATER-BASED	2,5 L 0,75 L



## 573 - WOOD&WOOD ANTI-AGING WOOD VARNISH SEMI MATTE, WATER-BASED

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12 sqm/L depending on surface absorbency

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller and paint gun

Acrylic-based, colorless, water-based semi-matte wood protective varnish.



- Perfect water repellence
- Coloring the wood without ruining its natural look
- High binding strength
- Perfect protection of wood from severe weather conditions, fading, bubbling and peeling due to its flexible structure and enhanced adhering and water retention properties

Container Size
2,5 L
0,75 L

Product Code	Product Name	Container Size
573	WOOD&WOOD ANTI AGING WOOD VARNISH SEMI MATTE, WATER-BASED BASE	2,5 L 0,75 L



**576 -  
WOOD&WOOD  
ANTI-AGING  
WOOD VARNISH  
GLOSSY,  
SOLVENT-BASED**

Alkyd binder-based, transparent, gloss exterior varnish.



Gloss



High UV Resistance



Lead-free



Protects Wood for Many Years against Sunlight

- Perfect water repellence
- Decorative and protective on all soft and hard interior and exterior doors, windows, garden furniture, marine vessels and other wooden materials
- Durable, non-cracking and peeling-proof

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12-15 sqm/L depending on surface absorbency

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller and paint gun

Product Code	Product Name	Container Size
576	WOOD&WOOD ANTI AGING WOOD VARNISH GLOSSY, SOLVENT-BASED	2,5 L 0,75 L



**574 -  
WOOD&WOOD  
ANTI-AGING  
WOOD VARNISH  
SEMI MATTE,  
SOLVENT-BASED**

Alkyd binder-based, semi-matte, protective wood varnish



SEMI MATTE



High UV Resistance



Lead-free



Protects Wood for Many Years against Sunlight

- Perfect water repellence
- Very good penetration in wood
- Very good adhesion on the surface
- Perfect protection of wood against extreme weather conditions, color fading, bloating and peeling
- Coloring the wood without ruining its natural look
- Micro-porous structure that enables aeration of the wood
- Decorative and protective on all soft and hard interior and exterior doors, windows, garden furniture, marine vessels and other wooden material

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
12-15 sqm/L depending on surface absorbency

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller and paint gun

Product Code	Product Name	Container Size
574	WOOD&WOOD ANTI-AGING WOOD VARNISH SEMI MATTE, SOLVENT-BASED	2,5 L 0,75 L



**560 -  
WOOD&WOOD  
ANTI-AGING  
TEAK OIL**

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
Varies according to surface absorption

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, sponge

Special formula oil developed for wood protection.

- Gives a natural appearance to the application surface
- This is a kind of oil which penetrates deep in the wood
- Provides water repellence with silicone,
- It is a revitalizing care product that nourishes wood
- Can be used on the garden furniture made of teak and similar hard wood, to renew the natural oil which is lost due to wearing, and revitalize

Product Code	Product Name	Container Size
560	WOOD&WOOD ANTI-AGING TEAK OIL	2,5 L
		0,75 L





## 555 - POLITEX VARNISH GLOSSY

Alkyd binder-based, transparent, gloss varnish that prolongs the life of wood.



Gloss



Transparent



High Scratch and Abrasion Resistance



Micro-porous Structure that Enables Aeration of the Wood

- Does not affect the natural appearance of the wood
- Does not require wiping after application
- Creates a film layer on the surface

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
8-12 sqm/L

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller

Product Code	Product Name	Container Size
555	POLITEX VARNISH GLOSSY	15 L
		2,5 L
		0,75 L



## 554 - POLITEX DECORATIVE MATTE

Alkyd binder based, semi-transparent, matte wood varnish.



MATTE



Semi Transparent

- Easy absorption
- Special additives in its formula enable deep penetration in the wood
- Can be applied over all types of furniture varnish

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
8-12 sqm/L

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller

Product Code	Product Name	Container Size
554	POLITEX DECORATIVE MATTE	15 L
		2,5 L
		0,75 L





## 553 - POLITEX DECORATIVE SEMI MATTE WATER-BASED

Acrylic copolymer-based, water-based, semi-matte wood varnish.



Semi Transparent



Flexible



High UV Resistance



Odorless

- Protects the wood against mold and fungi
- Non-fading
- It is not affected by water
- Easy applicable

CONSUMPTION SPECIFICATIONS	
<b>COVERAGE AREA</b>	12 sqm/L
<b>THINNING/BLENDING RATIO</b>	5% with water
<b>RECOMMENDED APPARATUS</b>	Brush, roller

Container Size

15 L

2,5 L

Product Code	Product Name	Container Size
553	POLITEX DECORATIVE SEMI MATTE WATER-BASED	15 L 2,5 L



## 542 - POLITEX YACHT VARNISH

Urethane alkyd resin-based, yacht varnish for all types of wooden surfaces.



High Scratch and Abrasion Resistance



Resistant to Sea Water, Sun Light, and Detergents

- Crush and corrosion resistant
- Resistant to sea water, sun light, and detergents

CONSUMPTION SPECIFICATIONS	
<b>COVERAGE AREA</b>	15 sqm/L for a single coat
<b>THINNING/BLENDING RATIO</b>	Ready to use
<b>RECOMMENDED APPARATUS</b>	Brush, roller and paint gun

Product Code	Product Name	Container Size
542	POLITEX YACHT VARNISH	12 kg 2,5 L 0,75 L



## 543 - POLITEX GLAZE GLOSSY

Single-component urethane alkyd-based, gloss parquet varnish.



Gloss



High Scratch and Abrasion Resistance



Non-fading

- Protects the applied parquet surface against many corrosive substances such as water, detergent, alcohol, oil, tea, and fruit juice

CONSUMPTION SPECIFICATIONS	
<b>COVERAGE AREA</b>	15 sqm/L in a single coat depending on the absorbency of the wood
<b>THINNING/BLENDING RATIO</b>	Ready to use
<b>RECOMMENDED APPARATUS</b>	Brush, roller

Product Code	Product Name	Container Size
543	POLITEX GLAZE GLOSSY	12 kg 2,5 L 0,75 L



## 544 - POLITEX GLAZE MATTE

### CONSUMPTION SPECIFICATIONS

**COVERAGE AREA**  
15 sqm/L in a single coat  
depending on the  
absorbency of the wood

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, roller

Single-component urethane alkyd-based,  
matte parquet varnish.



High Scratch  
and Abrasion  
Resistance



Non-fading

Product Code	Product Name	Container Size
544	POLITEX GLAZE MATTE	12 kg
		2,5 L
		0,75 L

- Protects the applied parquet surface against many corrosive substances such as water, detergent, alcohol, oil, tea, and fruit juice



# Special Purpose Products



## 659 - ROOF FIBER

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1-1,5 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
20% by volume thinning

**RECOMMENDED APPARATUS**  
Satin roller

Water and acrylic resin-based, polymer-fibered, elastic, protective roof isolation material containing silicon.

- Ensures perfect moisture and water isolation
- It has high mechanical resistance
- It is heat-resistant
- Odorless

Product Code	Product Name	Container Size
659	ROOF FIBER	20 kg
		2,5 L



## 660 - ROOF

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
1 sqm/kg for a single coat

**THINNING/BLENDING RATIO**  
40% by volume thinning

**RECOMMENDED APPARATUS**  
Satin roller

Water-based, acrylic resin-based roof insulation material.

- Non-fading
- Flexible and odorless
- Creates a joint-free sealant layer
- Its insulation strength has been reinforced with its water-repellent feature

Product Code	Product Name	Container Size
660	ROOF	20 kg
		10 kg
		2,5 L
		0,75 L



## 639 - POLIGARD

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
Variable

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, sponge, roll or spray

Solvent-based, synthetic resin isolation material.

- Transparent and flexible
- Dries quickly
- Protective against sunlight
- Does not peel and shed in time
- Dust-proof after drying
- Can be washed or wiped
- Resistant to alkaline chemicals, such as soap and detergent
- It can be used on floor surfaces

Product Code	Product Name	Container Size
639	POLIGARD	15 L
		2,5 L
		0,75 L





## 597 - MULTI PRIMER

Intended for priming various different interior and exterior surfaces such as iron, steel, aluminum, zinc, hard PVC, copper, wood, chipboard, ceramic, glass, and plaster.

- Perfect adhesion
- Creates a flat and durable layer under the topcoat paints
- If required, water- or solvent-based paint can also be applied on it
- Prevents corrosion when applied on metal surfaces

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
10-12 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
5-10% by volume with Synthetic Thinner

**RECOMMENDED APPARATUS**  
Brush, sponge, roll or spray

Product Code	Product Name	Container Size
597	MULTI PRIMER	2,5 L
		0,75 L



## 754 - CAMOUFLAGE STAIN BLOCKER PRIMER

It is a thermoplastic resin-based primer formulated to block stains, creating the perfect surface for topcoat.

- Developed to cover tough stains such as soot, cigarette and rust stains
- Non-fading
- Lead-free
- It does not have a strong odor

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
5-7 sqm/L for a single coat

**THINNING/BLENDING RATIO**  
5-10% by volume with water

**RECOMMENDED APPARATUS**  
Brush, roller

Product Code	Product Name	Container Size
754	CAMOUFLAGE STAIN BLOCKER PRIMER	20 kg
		2,5 L
		0,75 L



## 640 - TITANIUM ANTI-AGING UNIVERSAL IMPREGNATED

Thermoplastic resin-based colored impregnator.



High UV Resistance



Dust and Stain Repellent



Protects Wood for Many Years against Sunlight



Perfect Wipe Clean

**CONSUMPTION SPECIFICATIONS**

**COVERAGE AREA**  
Variable

**THINNING/BLENDING RATIO**  
Ready to use

**RECOMMENDED APPARATUS**  
Brush, sponge, roll or spray

Product Code	Product Name	Container Size
640	TITANIUM ANTI AGING UNIVERSAL IMPREGNATED	15 L
		2,5 L
		0,75 L

- Dries quickly
- Solvent-based
- It shows the old wood in a new and vibrant look
- Does not peel and shed in time
- Dust-proof after drying
- Being colored, it gives even old wooden surfaces the appearance of new wood with just a single coat
- Creates a silky matte look on earlier coats, and then a glossy one as more coats are applied for protection
- It can be used on floor surfaces

## Brush Product Range

### 921 - POLISAN OIL PAINT BRUSH

- High quality, black bristle
- Plastic handle
- Nickel coated ferrule
- Non-shedding design that does not leave any marks



Product Code	Product Name	Size
921	POLISAN OIL PAINT BRUSH	NO: 1
		NO: 1,5
		NO: 2
		NO: 2,5
		NO: 3
		NO: 4

### 921 - POLISAN LINING BRUSH

- High quality, white bristle
- Plastic handle
- Nickel coated ferrule
- Non-shedding design that does not leave any marks



Product Code	Product Name	Size
921	POLISAN LINING BRUSH	NO: 1
		NO: 1,5
		NO: 2
		NO: 2,5
		NO: 3
		NO: 4

### 921 - POLISAN SUPER THIN LINING BRUSH

- High quality, white bristle
- Ease of comfortable application
- Universal type plastic black handle
- Non-shedding design that does not leave any marks



Product Code	Product Name	Size
921	POLISAN SUPER THIN LINING BRUSH	NO: 1,5
		NO: 2
		NO: 2,5
		NO: 3
		NO: 4
		NO: 5

# Brush Product Range

## 921 - POLISAN LUX LINING BRUSH

- High quality, white bristle
- Nickel coated ferrule
- Non-shedding design that does not leave any marks
- Ease of comfortable application



Product Code	Product Name	Size
921	POLISAN LUX LINING BRUSH	NO: 3
		NO: 4

## 921 - POLISAN WOOD LINING BRUSH

- High quality, white bristle
- Varnished wood handle
- Nickel coated ferrule
- Solvent-resistant
- Non-shedding design that does not leave any marks



Product Code	Product Name	Size
921	POLISAN WOOD LINING BRUSH	NO: 3
		NO: 4

## 921 - POLISAN ACROBAT BRUSH

- High quality, white bristle
- Adjustable angle for challenging corners
- Nickel coated ferrule
- Stick attachable plastic handle



Product Code	Product Name	Size
921	POLISAN ACROBAT BRUSH	NO: 3
		NO: 4

## 921 - POLISAN PRO LINING BRUSH

- High quality, white bristle
- Plastic handle
- Nickel coated ferrule
- Non-shedding design that does not leave any marks



Product Code	Product Name	Size
921	POLISAN PRO LINING BRUSH	NO: 1
		NO: 1,5
		NO: 2
		NO: 2,5
		NO: 3
		NO: 4

# Brush Product Range

## 921 - POLISAN PRO ACROBAT ABRUSH



- High quality, white bristle
- Adjustable angle for challenging corners
- Nickel coated ferrule
- Stick attachable plastic handle

Product Code	Product Name	Size
921	POLISAN PRO ACROBAT ABRUSH	NO: 3
		NO: 4

## 921 - POLISAN EXTRA CUTTING-IN BRUSH



- High quality and superior performance
- Leaves no brush marks or bristles
- Nickel ferrule
- Soft synthetic bristles
- Comfortable, durable and ergonomic plastic handle

Product Code	Product Name	Size
921	POLISAN EXTRA CUTTING-IN BRUSH	NO: 1
		NO: 1 1/2
		NO: 2
		NO: 2 1/2
		NO: 3
		NO: 4

## 921 - POLISAN PRO CEILING LINING BRUSH



- High quality, white bristle
- Plastic body
- Special design for perfect lining in ceiling applications

Product Code	Product Name
921	POLISAN PRO CEILING LINING BRUSH

# Roll Product Range



## 923 - INTERIOR ROLLER

- Manufactured from 100% polyamid fabric
- Used on plastic interior paints
- Is not affected from solvents and improves its efficiency as used
- Does not shed or leave marks
- Clean with a solvent after use, and store by hanging vertically for durability

Product Code	Product Name	Size
923	INTERIOR ROLLER	20 cm
		25 cm



## 923 - EXTERIOR ROLLER

- Manufactured from 100% polyamid fabric
- Non-shedding exterior paint roller that ensures fast and easy application on wide areas
- Is not affected from solvents and improves its efficiency as used
- Clean with a solvent after use, and store by hanging vertically for durability

Product Code	Product Name	Size
923	EXTERIOR ROLLER	20 cm
		25 cm



## 923 - DELUXE SATIN ROLLER

- Manufactured from 100% polyamid fabric
- Used on smooth surfaces with satin, water-based paints
- Is not affected from solvents and improves its efficiency as used
- Clean with a solvent after use, and store by hanging vertically for durability

Product Code	Product Name	Size
923	DELUXE SATIN ROLLER	20 cm
		25 cm



## 923 - CORAL ROLLER

- Used for decorative purposes on exterior surfaces with acrylic-based paints
- Creates a rough texture on the application surface

Product Code	Product Name	Size
923	CORAL ROLLER	18 cm
		25 cm

# Roll Product Range



## 923 - ECO-LINE EXTERIOR ROLLER

- For use on rough outdoor surfaces with all general purpose paints
- Made of micropolyester fabric

Product Code	Product Name	Size
923	ECO-LINE EXTERIOR ROLLER	20 cm
		25 cm



## 923 - ECO-LINE INTERIOR ROLLER

- For use on flat indoor surfaces with all general purpose paints
- Made of micropolyester fabric

Product Code	Product Name	Size
923	ECO-LINE INTERIOR ROLLER	20 cm
		25 cm



## 923 - ECO-LINE SATIN INTERIOR WALL ROLLER

- For use on flat indoor surfaces with all general purpose paints
- Made of micropolyester fabric

Product Code	Product Name	Size
923	ECO-LINE SATIN INTERIOR WALL ROLLER	20 cm
		25 cm



## 923 - LAMBSKIN PAINT ROLLER

- Suitable for professional use
- Made from 100% natural sheepskin and lambskin
- For indoor and outdoor use

Product Code	Product Name	Size
923	LAMBSKIN PAINT ROLLER	20 cm
		25 cm

# Roll Product Range



## 923 - RADIATOR ROLLER

- Ease of application for areas that is hard to reach for applying paint
- Minimizes the need for retouch by creating a smooth paint layer
- Does not shed or leave marks
- Clean with a solvent after use, and store by hanging vertically for durability

Product Code	Product Name	Size
923	RADIATOR ROLLER	10 cm



## 923 - RADIATOR ROLLER SPARE

- 10 cm radiator spare roller

Product Code	Product Name	Size
923	RADIATOR ROLLER SPARE (SINGLE)	10 cm
923	RADIATOR ROLLER SPARE (PACK OF 12)	10 cm



## 923 - ROLLER SCREEN - MESH

- Removes excess paint from the roller
- Ensures that the roller carries the paint homogeneously on the surface
- Reduces paint consumption
- Prevents roll drops and roll marks on the surface

Product Code	Product Name
923	ROLLER SCREEN - MESH



# Tape Product Range

## 950 - MASKING TAPE

- Prevents unwanted over painting and marks
- Adheres strong and does not glide when removed from the surface that it adhered to
- Resistant to chemicals such as varnish and thinner
- Does not leave mark or lift paint
- Natural rubber
- Resistant to 80°C temperature



Product Code	Product Name	Size
950	MASKING TAPE	19 mm x 30 m
		24 mm x 30 m
		36 mm x 30 m
		48 mm x 30 m

## 950 - MASKING TAPE (HOT MELT)

- High adhesion strength. Does not glide when removed from the surface that it adhered to
- Resistant to chemicals such as varnish and thinner
- Resistant to 50°C temperature
- Hot melt adhesive
- Can be removed from the surface without leaving mark and removing paint



Product Code	Product Name	Size
950	MASKING TAPE (HOT MELT)	24 mm x 25 m
		36 mm x 25 m
		48 mm x 25 m

## 950 - SEALING TAPE (ACRYLIC)

- High performance with hot and cold resistance from -20° C to +80° C
- 40 μ thickness
- High adhesion value with 16 N / 25 mm
- Acrylic-based



Product Code	Product Name	Size
950	SEALING TAPE (ACRYLIC)	40 m
		100 m

## 950 - SEALING TAPE (HOT MELT)

- High performance with hot and cold resistance from -20° C to +80° C
- 40 μ thickness
- High adhesion value with 16 N / 25 mm
- Hot melt-based



Product Code	Product Name	Size
950	SEALING TAPE (HOT MELT)	40 m
		100 m



# Tape Product Range

## 950 - GAFFER TAPE



- Intended for insulation
- Can be torn by hand
- Has a flexible and soft structure

Product Code	Product Name	Size
950	GAFFER TAPE (BLACK)	19 mm x 10 yrd
950	GAFFER TAPE (WHITE)	19 mm x 10 yrd

## 950 - DUCT TAPE



- General purpose duct tape
- Can be removed from metal, plastic and glass surfaces without leaving mark
- Glass fiber reinforced
- Can be torn by hand

Product Code	Product Name	Size
950	DUCT TAPE (GREY)	48 mm x 10 m

## 950 - MARINE MASKING TAPE



- Used in topside painting, varnishing, caulking applications
- Marine masking tape that is resistant to UV rays and easy to remove from the surface

Product Code	Product Name	Size
950	MARINE MASKING TAPE	48 mm x 35 m
		36 mm x 35 m
		25 mm x 35 m



# Cover Product Range

## 922 - PROTECTIVE RUSTLING COVER

- Used as a floor cloth in all types of cleaning and painting operations
- Prevents sensitive electronic devices to be harmed because of dust and dirt
- Protects the surface against paint drops, leaks, dust and water
- Practical, environmentally-friendly



Product Code	Product Name	Size
921	PROTECTIVE RUSTLING COVER	10 m <sup>2</sup>
		20 m <sup>2</sup>
		32 m <sup>2</sup>
		50 m <sup>2</sup>

## 922 - THICK PRACTICAL COVER

- Used as a floor cloth in all types of cleaning and painting operations
- Prevents sensitive electronic devices to be harmed because of dust and dirt
- Protects the surface against paint drops, leaks, dust and water
- Practical, environmentally-friendly
- Produced to be used in heavy work, offers high resistance



Product Code	Product Name	Size
921	THICK PRACTICAL COVER	10 m <sup>2</sup>
		20 m <sup>2</sup>
		32 m <sup>2</sup>
		50 m <sup>2</sup>





## 931 - POLYURETHANE FOAM

- Used to fill large cracks and gaps while mounting door and window frames and for insulating plumbing and electrical installations
- Adheres perfectly on materials such as concrete, plaster, brick, plaster, wood, iron, aluminum and plastic
- After hardening of the material, the mechanical work could be done such as blading, sanding and so on and it could be covered with mortar and painted

Product Code	Product Name	Container Size
931	POLYURETHANE FOAM	600 gr
		650 gr
		750 ml



## 933 - UNIVERSAL SILICONE

- Used to create a water-resistant seal and insulate PVC, glass, plumbing, wood, metal and ceramics surfaces
- Dries fast, very flexible

Product Code	Product Name	Container Size
933	UNIVERSAL SILICONE (TRANSPARENT)	280 gr
933	UNIVERSAL SILICONE (WHITE)	280 gr



## 932 - ACRYLIC MASTIC

- Used to combine building elements, metal, wood, PVC, aluminum joinery and wall insulation and as a sealing to fill wall cracks
- Provides perfect adhesion and high resistance
- Elastic

Product Code	Product Name	Container Size
932	ACRYLIC MASTIC	280 ml



## 932 - POLYURETHANE MASTIC

- Single-component, polyurethane-based sealant that cures with atmospheric moisture. Adheres perfectly to glass, wood, galvanized and painted sheet metal and plastic surfaces
- Used in the automotive industry to build, assemble and repair car, containers, trailers etc., and to isolate water, gas and dust permeable gaps, and on metal and sheet joints
- Has a permanent flexibility, does not leak
- No surface adhesion, stain-free
- Does not stretch, easily applied with a spray gun
- It may also be painted

Product Code	Product Name	Container Size
932	POLYURETHANE MASTIC WHITE / GREY	300 ml



## 932 - SILICONISED ACRYLIC MASTIC

- A silicon emulsion reinforced, filler with extra adhesion power and high elasticity

Product Code	Product Name	Container Size
932	SILICONISED ACRYLIC MASTIC	280 ml



## 932 - MAX BOND

- Very fast initial tack and adhesion
- High strength
- Used on many different surfaces
- 320 kg/10 cm<sup>2</sup> carrying capacity
- One-component, MS polymer based, strong joint sealant

Product Code	Product Name	Container Size
932	MAX BOND	290 ml



## 932 - RUST REMOVER SD 40

- Lubricating and protecting spray
- Removes rust by lubricating moving parts in vehicles, appliances, hinges and springs etc
- Creates a protective film layer on corroded regions, prevent oxidization on nuts and bolts
- Helps repelling water on metal surfaces, electrical contacts and plugs

Product Code	Product Name	Container Size
932	RUST REMOVER SD 40	200 ml



## 933 - 2K RAPID BINDER

- Double component, extremely powerful binder used in binding MDF, rubber, chipboard, plastic, rubber and wood profiles

Product Code	Product Name	Container Size
933	2K RAPID BINDER 200 ML/50 GR	200 ml/50 gr
933	2K RAPID BINDER 400 ML/100 GR	400 ml/100 gr

# Building Chemicals Product Range



## 933 - CHEMICAL DOWEL

- Suitable for solid (such as concrete) or hollow (such as brick) structures
- Has high solid ratio
- Easy to apply
- Applied on vertical and horizontal surfaces
- Cures rapidly

Product Code	Product Name	Container Size
933	CHEMICAL DOWEL (POLYESTER BASED)	300 ml



# Hand Tools Product Range

## 950 - POLISAN SIDE CUTTERS



- Heat-treated steel jaws for long life and durability
- Induction-hardened inserts for a perfect cut
- Soft dual-material handle for extra comfort

Product Code	Product Name	Size
950	POLISAN SIDE CUTTERS	15,24 cm/6 inç

## 950 - POLISAN LONGNOSE PLIERS



- Heat-treated steel jaws for long life and durability
- Induction-hardened inserts for a perfect cut
- Soft dual-material handle for extra comfort

Product Code	Product Name	Size
950	POLISAN LONGNOSE PLIERS	15,24 cm/6 inç

## 950 - POLISAN PLIERS



- Heat-treated steel jaws for long life and durability
- Induction-hardened inserts for a perfect cut
- Soft dual-material handle for extra comfort

Product Code	Product Name	Size
950	POLISAN PLIERS	15,24 cm/6 inç

## 950 - PUTTY SPATULA

- Applicable to all plaster and gypsum surfaces
- Spring steel body
- Varnished wood handle



Product Code	Product Name	Size
950	PUTTY SPATULA	6 cm
		8 cm
		10 cm
		12 cm
		14 cm

## 950 - SKEWED HANDLE SPATULA (WOODEN)

- Used in plaster application on ceilings and walls
- Spring steel body
- Wood, ergonomic handle



Product Code	Product Name	Size
950	SKEWED HANDLE SPATULA	20 cm
		25 cm
		30 cm

# Hand Tools Product Range

## 950 - POLE SPATULA



- Applicable to all plaster and gypsum surfaces
- Chance to reach high spots with the telescopic rod attachable handle
- Spring steel body
- Plastic handle

Product Code	Product Name	Size
950	POLE SPATULA	8 cm
		10 cm
		12 cm
		14 cm

## 950 - PUTTY SHOVEL



- Used in all types of paste, plaster application and parqueting
- Spring steel body
- Plastic handle

Product Code	Product Name	Size
950	PUTTY SHOVEL	16 cm
		18 cm
		20 cm

## 950 - SANDING BLOCK WITH MOVABLE HEAD



- Used for sanding ceilings and walls
- Eases access to hard-to-reach surfaces thanks to its movable head
- Open the butterfly screws, stretch a sanding paper and tighten
- Saves time and effort thanks to its ergonomic structure facilitating handling and application

Product Code	Product Name
950	SANDING BLOCK WITH MOVABLE HEAD

## 950 - PAINT MIXER



- A channeled mixer used in all types of paint and mortar mixing operations
- Made of original plastic raw material
- Enables homogeneous mixing of the paint in short amount time with the channels it features
- Easy to use due to its ergonomic form

Product Code	Product Name
950	PAINT MIXER

# Hand Tools Product Range



## 932 - METAL SILICON GUN

- Metal high-resistant application to be used in applications of all kinds of silicones and sealants
- 320 kg squeezing strength

Product Code	Product Name
932	METAL SILICON GUN



## 932 - PLASTIC SILICON GUN

- Plastic high-resistant application to be used in applications of all kinds of silicon and sealant
- 180 kg squeezing strength

Product Code	Product Name
932	PLASTIC SILICON GUN



## 950 - POLISAN ECO POLE

- Complies to all types of roller, acrobat brush, rod spatula
- 2 levels used in the requested size
- Iron material

Product Code	Product Name	Size
950	POLISAN ECO POLE	2 m
		3 m
		4 m



## 950 - POLISAN PRO POLE

- Complies to all types of roller, acrobat brush, rod spatula
- 2 levels used in the requested size
- Aluminum material

Product Code	Product Name	Size
950	POLISAN PRO POLE	2 m
		3 m
		4 m



## 950 - SPONGE TROWEL

- Used in the final cleaning of ceramic and tile surfaces
- High water retention and cleaning thanks to spongy bottom

Product Code	Product Name	Size
950	SPONGE TROWEL	15 cm x 29 cm



# Hand Tools Product Range

## 950 - JOINT TROWEL

- Used in plaster finishing jobs
- Has a plastic body and a base covered with a special plastic



Product Code	Product Name	Size
950	JOINT TROWEL	11,5 cm x 38,5 cm 11,5 cm x 28 cm

## 950 - PLASTER TROWEL

- Used in all types of plaster applications
- Spring steel body
- Open plastic handle



Product Code	Product Name	Size
950	PLASTER TROWEL	12 cm x 35 cm

## 950 - TERASIT TROWEL

- Used in all types of exterior surface ready-to-use plaster applications



Product Code	Product Name	Size
950	TERASIT TROWEL	12,8 cm x 28 cm

## 950 - CERAMIC TROWEL

- Ensures ideal application in mortar and joint applications
- Used in placing ceramics, tiles and floor tiles on wide surfaces
- The handle is closed and made of plastic
- High quality spring steel



Product Code	Product Name	Size
950	CERAMIC TROWEL (8X8 TEETH)	12 cm x 35 cm

## 950 - SERRATED TROWEL

- Used in plaster finishing jobs
- Has a plastic body and a base covered with a special plastic



Product Code	Product Name	Size
950	SERRATED TROWEL	10 cm x 37 cm

# Hand Tools Product Range



## 950 - SOFT SPONGE SANDING ROLL

- Strong, high-quality construction
- Perforated for easy use
- Durable, high-performance product suitable for sanding putty, filler and primed surfaces in a dry environment
- Sponge base applies even pressure on the surface and minimizes scratches
- Soft and flexible for perfectly sanding flat and uneven surfaces

Product Code	Product Name	Size
950	SOFT SPONGE SANDING ROLL (120 SAND)	25 m x 11,5 cm
950	SOFT SPONGE SANDING ROLL (150 SAND)	25 m x 11,5 cm
950	SOFT SPONGE SANDING ROLL (180 SAND)	25 m x 11,5 cm
950	SOFT SPONGE SANDING ROLL (220 SAND)	25 m x 11,5 cm



# Hand Tools Product Range



## 950 - POLISAN UTILITY KNIFE 18 mm (METAL)

- Stainless steel knife
- Metal body
- Automatic locking system
- Replaceable knives

Product Code	Product Name
950	POLISAN UTILITY KNIFE 18 mm (METAL)
950	POLISAN UTILITY KNIFE 18 mm (10 IN A BOX)



## 950 - POLISAN UTILITY KNIFE 9 mm (PLASTIC)

- Stainless steel knife
- Plastic body
- Automatic locking system
- Replaceable knives

Product Code	Product Name
950	POLISAN UTILITY KNIFE 9 mm (PLASTIC)
950	POLISAN UTILITY KNIFE 9 mm (10 IN A BOX)



## 950 - POLISAN STRIPPING KNIFE

- Has 60X180 dimensions
- ABS body
- Knife width: 60 mm
- Ergonomic hold
- Replaceable knife system

Product Code	Product Name
950	POLISAN STRIPPING KNIFE



## 950 - POLISAN TAPE MEASURE

- Double-stopper design
- Transparent premium design
- Upper class material quality

Product Code	Product Name
950	POLISAN TAPE MEASURE 3 m
950	POLISAN TAPE MEASURE 5 m
950	POLISAN TAPE MEASURE 8 m

# Gloves Product Range

## 950 - POLISAN XI GLOVES



- Nitril coating on cotton liner
- Better grip of hand thanks to knitted wrist and special pattern
- Comfortable use

Product Code	Product Name	Size
950	POLISAN XI GLOVES	No: 9
		No: 10

## 950 - POLISAN X2 GLOVES



- Nitril coating on cotton liner
- Better grip of hand thanks to knitted wrist and special pattern
- Comfortable use

Product Code	Product Name	Size
950	POLISAN X2 GLOVES	No: 9
		No: 10

## 950 - POLISAN X7 GLOVES



- Nitril-coated gauntlets
- Long-term durability against abrasion
- Breathable design and antiperspirant

Product Code	Product Name	Size
950	POLISAN X7 GLOVES	No: 9
		No: 10



# Spray Paint Product Range



## 977/978 - ACRYLIC SOLID COLORS / VARNISH

- Acrylic-based, fast-drying, solvent-based, protective and decorative spray paint
- Broad color range
- Conforms to RAL codes

Product Code	Product Name	Container Size
977/978	ACRYLIC SOLID COLORS / VARNISH	400 ml



## 976 - METALLIC COLORS

- Solvent-based, fast-drying, metallic-effect, protective and decorative spray paint
- Broad color options

Product Code	Product Name	Container Size
976	METALLIC COLORS	400 ml



## 974 - FLUORESCENT COLORS

- Acrylic-based, solvent-based, fast-drying, fluorescent-neon effect, decorative spray paint that can be used for markings
- Broad color options

Product Code	Product Name	Container Size
974	FLUORESCENT COLORS	400 ml



## 978 - SPRAY UNIVERSAL PRIMER

- Intended for pre-paint preparation of surfaces such as metal, wood, concrete, rock etc
- Ensures protection against rust and corrosion, and increases resistance of the surface to weather conditions

Product Code	Product Name	Container Size
978	SPRAY UNIVERSAL PRIMER	400 ml



## 979 - SPRAY PLASTIC SURFACE PAINT

- Developed for painting plastic components
- Applied to surfaces such as hard plastics, plastic garden furniture, automobile bumpers, window frames etc
- Adheres and binds perfectly to plastic

Product Code	Product Name	Container Size
979	SPRAY PLASTIC SURFACE PAINT	400 ml

# Spray Paint Product Range



## 975 - SPECIAL PURPOSE SPRAY FROSTED GLASS PAINT

- Special-purpose spray to ensure confidentiality/privacy by giving a frosted and foggy effect to glass surfaces

Product Code	Product Name	Container Size
975	SPECIAL PURPOSE SPRAY FROSTED GLASS PAINT	400 ml



## 975 - SPECIAL PURPOSE SPRAY GOLD FOIL

- Gold foil effect to provide a stylish and golden texture appearance on any surfaces such as wood, metal, plastic and ceramic

Product Code	Product Name	Container Size
975	SPECIAL PURPOSE SPRAY GOLD FOIL	400 ml



## 975 - SPECIAL PURPOSE SPRAY CAR RIM PAINT

- Intended for renewing and protecting automobile rims
- Helps regaining brand-new appearance
- Has two color options as aluminum and bronze

Product Code	Product Name	Container Size
975	SPECIAL PURPOSE SPRAY CAR RIM PAINT	400 ml



## 975 - SPECIAL PURPOSE SPRAY ENAMEL PAINT

- Intended for repairing scratches and retouching durable household appliances, bath tubs and sinks

Product Code	Product Name	Container Size
975	SPECIAL PURPOSE SPRAY ENAMEL PAINT (WHITE)	400 ml



## 975 - SPECIAL PURPOSE SPRAY GLOW IN THE DARK

- Thanks to special pigments which arrest the light, based on the charging time, provides glow in the dark on all surfaces applied, without requiring any source of light

Product Code	Product Name	Container Size
975	SPECIAL PURPOSE SPRAY GLOW IN THE DARK	400 ml

# Spray Paint Product Range



## 975 - GRANITE EFFECT SPRAY

- Granite-looking stone effect
- Intended for providing a real-like granite look to decorative objects
- Applicable to the surfaces of objects such as metal, wood, plastic, polystyrene, stone, clay, ceramics, glass and paper

Product Code	Product Name	Container Size
975	GRANITE EFFECT SPRAY (WHITE, SAND)	400 ml



## 975 - HEAT RESISTANT SPRAY

- A silicone-based spray paint for interior and exterior use
- Intended for renewal, repair and decoration of items exposed to heat such as barbecue, oven, stove pipe and lampshade

Product Code	Product Name	Container Size
975	HEAT RESISTANT SPRAY (BLACK)	400 ml



## 968 - W&W SPRAY WOOD COLORANT

- Solvent-based decorative paint that forms a fade-resistant, fast-drying, protective film layer on wood surfaces such as furniture, table, chairs, stairs, window frames and benches
- Broad color options

Product Code	Product Name	Container Size
968	W&W SPRAY WOOD COLORANT	400 ml



## 980 - REFILLABLE GAS BOX

- Allows for cellulosic, acrylic, synthetic paint filling in any desired color
- Offers unlimited color options

Product Code	Product Name	Container Size
980	REFILLABLE GAS BOX	400 ml

# Technical Spray Product Range



## 983 - BT 44 BRAKE PAD CLEANER

- Very effective for cleaning oily and greasy engine components, brake disk and components and clutch components
- Reduces friction, cuts screeching noise
- Removes rust, moves away humidity and water
- Protects against rusting and decay
- Opens up stuck and rusted components
- Cleans short circuit on electrical and electronic appliances
- Ideal for repair, maintenance and service operations

Product Code	Product Name	Container Size
983	BT 44 BRAKE PAD CLEANER	500 ml



## 983 - LQ 50 LIQUID GREASE SPRAY

- Manufactured for the lubrication of any kind of roller bearings, gears, journal bearings and fixed bearings thanks to its high adherence
- Prevents wear and friction on all moving components
- The lubrication film layer that it creates is resistant against both high pressure creating situations and water, salt water, and diluted acids

Product Code	Product Name	Container Size
983	LQ 50 LIQUID GREASE SPRAY	500 ml



## 983 - HQ 40 PROTECTIVE LUBRICANT SPRAY

- The protective lubricant spray cleans, lubricates and protects any moving mechanisms at home, in the office, in the garden and in the factory

Product Code	Product Name	Container Size
983	HQ 40 PROTECTIVE LUBRICANT SPRAY	200 ml





# X1 ART



No Preparation is Required

Can Be Applied Directly

Water Based and Odorless

Easy to Clean



*Love of  
artist*



# X1 Art Product Range

## 986 - X1 ART MULTISURFACE



- Can be used on all surfaces
- Series with acrylic solid color and metal effect
- It dries quickly and it is odorless
- Has high spread and covering properties
- Does not require priming and sanding
- Does not contain any harmful substance
- A very wide color range

Product Code	Product Name	Container Size
986	X1 ART MULTISURFACE (SOLID COLORS )	120 ml
986	X1 ART MULTISURFACE (METALLIC PEARLESCENT COLORS)	120 ml
986	X1 ART MULTISURFACE	500 ml
986	X1 ART MULTISURFACE	1000 ml

## 982 - X1 ART SELF VARNISHED



- Self-varnish, semi-matte
- Applicable on all surfaces
- It dries quickly and it is odorless
- Has high spread and covering properties
- Does not require priming and sanding
- Does not contain any harmful substance
- A very wide color range

Product Code	Product Name	Container Size
982	X1 ART SELF VARNISHED (SOLID COLORS )	120 ml
982	X1 ART SELF VARNISHED	500 ml
982	X1 ART SELF VARNISHED	1000 ml

## 982 - X1 ART VARNISH



- Acrylic-based transparent varnish
- Can be used as a protector on all solid surfaces
- Suitable for application by brush and roller
- The materials can be cleaned with water

Product Code	Product Name	Container Size
982	X1 ART VARNISH GLOSS / SEMI-MATTE / MATTE	120 ml
982	X1 ART STONE VARNISH	120 ml
982	X1 ART POLYURETHANE VARNISH GLOSS	120 ml
982	X1 ART STONE VARNISH	500 ml
982	X1 ART STONE VARNISH	1000 ml
982	X1 ART VARNISH GLOSS / SEMI-MATTE / MATTE	500 ml
982	X1 ART VARNISH GLOSS / SEMI-MATTE / MATTE	1000 ml
982	X1 ART POLYURETHANE VARNISH GLOSS	500 ml
982	X1 ART POLYURETHANE VARNISH GLOSS	1000 ml

# X1 Art Product Range



## 923 - X1 ART MINI ROLLER

- X1 Art is intended for the application of paint on objects
- It is made of sponge for a smooth painting
- Can be used for more comfortable painting in narrow spaces on walls and surfaces such as wooden, ceramic, metal etc

Product Code	Product Name	Size
923	X1 ART MINI ROLLER	5 cm



 **Polisan**

**PROF**

THERE IS A **PROF** FOR EVERY JOB!

**New Professional Solutions from Polisan:**

- Renovating old kitchen and bathroom countertops
- Preserving the shine of old ceramics
- Removing moisture and humidity from your walls
- Waterproofing problems in wet areas and terraces
- Aesthetic finishing touches in your home



**SPECIAL PAINTS • WATER INSULATION • SPECIAL PRODUCTS**



# Prof Product Group



## 925 - PROF P-SV STONE VARNISH

It is a solvent-containing protective waterproofing material that makes the surface waterproof by creating a shiny film layer on the absorbent surfaces of the exterior facades where it is applied.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF P-SV STONE VARNISH	0,15-0,29 L/m <sup>2</sup>	3



## 925 - PROF W-HA ACRYLIC WATERPROOF

It is an elastomeric resin-based, one-component waterproofing material with strong adherence structure and high elasticity. Resistant to atmospheric conditions and has high adherence to difficult surfaces.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF W-HA ACRYLIC WATERPROOF	0,80-1,00 kg/m <sup>2</sup>	5
		0,80-1,00 kg/m <sup>2</sup>	18



## 925 - PROF S-W WATERPROOF SPRAY

It is a waterproofing material that can be used to repair cracks in plastic pipes and to provide waterproofing in hard-to-reach places. Fills and seals leaks and cracks.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )
925	PROF S-WT WATERPROOF SPRAY TRANSPARENT	500 ml
925	PROF S-WW WATERPROOF SPRAY WHITE	500 ml
925	PROF S-WG WATERPROOF SPRAY GREY	500 ml
925	PROF S-WB WATERPROOF BLACK	500 ml



## 925 - PROF W-SF SPECIAL FILLING WATERPROOF

It is an acrylic dispersion-based, one-component, UV-resistant, highly elastic waterproofing material that is open to medium pedestrian traffic and has a strong adherence structure.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF W-SF SPECIAL FILLING WATERPROOF	0,80-1,00 kg/m <sup>2</sup>	5
		0,80-1,00 kg/m <sup>2</sup>	18



## 925 - PROF W-TE TRANSPARENT EXTERIOR WATERPROOF

It is a siloxane-based, ready-to-use, transparent insulation product that makes it waterproof by preserving its naturalness without forming a film layer on the absorbent surfaces on the exterior where it is applied. Does not disrupt the appearance of the building or the stone. Prevents salt vomiting and staining caused by the lower surface. Protects the building against damage and corrosion from rainfall.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF W-TE TRANSPARENT EXTERIOR WATERPROOF	0,20-0,50 L/m <sup>2</sup>	5

# Prof Product Group



## 925 - PROF W-TF TRANSPARENT FLOORING WATERPROOF

It is a siloxane-based, transparent waterproofing material that impregnates the floor or joints and provides water-repellent properties without forming a film layer on the surface. Can be applied on absorbent surfaces with waterproofing problems.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF W-TF TRANSPARENT FLOORING WATERPROOF	0,20-0,50 L/m <sup>2</sup>	5



## 925 - PROF P-CS 2K SOLVENT-BASED CERAMIC PAINT

PU-based, two-component, solvent-based ceramic (tile) paint used for the renewal of surfaces such as old tiles, marble and granite. It offers economical solutions for renovating ceramics such as bathroom and kitchen.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-CS 2K SOLVENT-BASED CERAMIC PAINT (White, Grey, Anthracite, Black)	0,40-0,50 kg/m <sup>2</sup>	3



## 925 - PROF P-MP MOISTURE AND HUMIDITY PAINT

It is a resin-based, solvent-containing, one-component insulation paint, reinforced with special polymers, used to prevent moisture and humidity-related problems on the interior and exterior walls of buildings. Creates a protective layer against humidity and moisture on the surfaces it is applied to.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-MP MOISTURE AND HUMIDITY PAINT	0,50-0,60 kg/m <sup>2</sup>	1
		0,50-0,60 kg/m <sup>2</sup>	2,5
		0,50-0,60 kg/m <sup>2</sup>	5



## 925 - PROF P-MP MOISTURE AND HUMIDITY PAINT ODORLESS

It is an **odorless** insulation paint specially produced to prevent moisture and humidity-related problems on the interior or exterior walls of buildings. Creates a protective layer against moisture and humidity on the surfaces it is applied to.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-MP MOISTURE AND HUMIDITY PAINT ODORLESS	0,40-0,50 kg/m <sup>2</sup>	1
		0,40-0,50 kg/m <sup>2</sup>	5



## 925 - PROF W-TG 2K GLOSSY LIQUID WATERPROOF

Polyurethane based, transparent, two-component waterproofing material that can be easily applied on old ceramic, marble, natural stone, wood, glass mosaic and similar difficult surfaces. It has high chemical and physical resistance.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF W-TG 2K GLOSSY LIQUID WATERPROOF	0,20-0,25 kg/m <sup>2</sup>	0,8
		0,20-0,25 kg/m <sup>2</sup>	1
		0,20-0,25 kg/m <sup>2</sup>	2
		0,20-0,25 kg/m <sup>2</sup>	3

# Prof Product Group

## 925 - PROF W-HP HYBRID POLIMER WATERPROOF



It is a one-component, high UV-resistant, highly elastic waterproofing material developed with hybrid technology, open to light pedestrian traffic. Ready and easy to use.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF W-HP HYBRID POLIMER WATERPROOF	0,80-1,00 kg/m <sup>2</sup>	5
		0,80-1,00 kg/m <sup>2</sup>	18

## 925 - PROF P-RP HEAT REFLECTION PAINT



It is a special insulation paint that contains special vacuum microspheres, has high vapor permeability, is water-based, provides thermal insulation on interior and exterior surfaces, and has scientifically proven effectiveness. Has low thermal conductivity, high sunlight absorption and surface heat efficiency. When used on the exterior and roof, it reflects the radiant heat from.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF P-RP HEAT REFLECTION PAINT	1,00-1,20 kg/m <sup>2</sup>	13

## 925 - PROF U-PP HEAT REFLECTION PAINT PRIMER



It is a ready-to-use liquid, heat-reflective paint primer produced to increase the heat efficiency and adherence of the applied surface.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF U-PP HEAT REFLECTION PAINT PRIMER	0,15-0,25 kg/m <sup>2</sup>	18

## 925 - PROF U-AS ANTI-SLIP SOLUTION



It is produced as a transparent solution that provides anti-slip properties on shiny and slippery surfaces and increases the friction coefficient of the surface. Prevents slipperiness on wet and dry surfaces by applying it on surfaces such as ceramic, tile and marble.

Product Code	Product Name	Consumption (L/m <sup>2</sup> )	Packaging (L/Bucket)
925	PROF U-AS ANTI-SLIP SOLUTION	0,10-0,15 L/m <sup>2</sup>	0,5

## 925 - PROF P-CP 2K COUNTERTOP PAINT



Epoxy resin based, two-component countertop paint with high physical and chemical resistance. It offers economical solutions for renovating bathroom and kitchen.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-CP 2K COUNTERTOP PAINT	0,60-1,00 kg/m <sup>2</sup>	1

# Prof Product Group



## 925 - PROF P-CW WATER-BASED CERAMIC PAINT

It is a two-component solvent-free and odorless colored ceramic (tile) paint used for the renewal of surfaces such as old tiles, marble and granite. Offers economical solutions for the renewal of bathroom and kitchen ceramics.

Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-CW WATER-BASED CERAMIC PAINT	0,20-0,30 kg/m <sup>2</sup>	1

## 925 - PROF P-FP FLOOR PAINT

It is a one-component, air-cured, decorative and protective paint used for painting and protecting all types of floors. Can be applied indoors and outdoors. Creates a waterproof floor covering that is resistant to UV rays, water and heavy traffic.



Product Code	Product Name	Consumption (kg/m <sup>2</sup> )	Packaging (kg/Bucket)
925	PROF P-FP FLOOR PAINT (WHITE)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (LIGHT GREY)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (DARK GREY)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (RED)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (BLUE)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (YELLOW)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (GREEN)	0,35-0,40 kg/m <sup>2</sup>	5
	PROF P-FP FLOOR PAINT (WHITE)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (LIGHT GREY)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (DARK GREY)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (RED)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (BLUE)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (YELLOW)	0,35-0,40 kg/m <sup>2</sup>	18
	PROF P-FP FLOOR PAINT (GREEN)	0,35-0,40 kg/m <sup>2</sup>	18





WHATEVER YOU  
WONDER ABOUT

**QR  
Code!**



Application  
videos



Product technical  
information



E-cartela





# CONSTRUCTION GROUP PRODUCT CATALOGUE



**POLİSAN KANSAI BOYA SANAYİ VE TİCARET AŞ**

**Headquarters:** Hilltown Ofis, Aydınevler Mah. Siteler Yolu Cad. 28

No:1/A 34854 Küçükyalı, MALTEPE / İSTANBUL

**Phone:** +90 216 578 88 00 • **Fax:** +90 216 577 66 11

**Factory:** Demirciler Osb. Mah. Refik Baydur Cad.

No:7/3 DİLOVASI / KOCAELİ

**Phone:** +90 262 679 60 00 • **Fax:** +90 262 606 03 70

polisankansai.com   /polisanhomecosmetics

