



FPB.001-11.01

SAFETY DATA SHEET

Elegans Extra Mat Tavan

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Elegans Extra Mat Tavan
Container size 0,75 L, 1 L, 2,5 L, 7,5 L, 12 L, 12,5 L, 15 L, 3,5 KG, 10 KG, 17,5 KG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Akrilik kopolimer bağlayıcı esaslı, su bazlı mat tavan boyasıdır.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier POLİSAN KANSAL BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TÜRKİYE
www.polisankansai.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@polisankansai.com

Contact person Occupational Health and Safety Department

Manufacturer POLİSAN KANSAL BOYA SAN. VE TİC. A.Ş.
Demirciler Osb. Mh. Refik Baydur Cd. No:7/3 Dilovası - KOCAELİ
TÜRKİYE
www.polisankansai.com.tr
+90 262 679 60 00
+90 262 606 03 70
info@polisankansai.com

1.4. Emergency telephone number

Emergency telephone ULUSAL ZEHİR DANISMA MERKEZİ(UZEM):114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Acute Tox. 3 - H331 Eye Dam. 1 - H318 Asp. Tox. 1 - H304

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

**Classification (Regulation (EC)
No. 1272/2008 CLP).**

2.2. Label elements

Hazard pictograms



Signal word

Danger

Elegans Extra Mat Tavan

Hazard statements

H400 Very toxic to aquatic life.
H331 Toxic if inhaled.
H318 Causes serious eye damage.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P501 İçeriği/kabı Atık Yönetim Yönetmeliği'ne uygun olarak bertaraf edin.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P361 Take off immediately all contaminated clothing.
P364 And wash it before reuse.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330 Rinse mouth.
P310 Immediately call a POISON CENTER/ doctor.
P391 Collect spillage.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANEDIOL	1-5%
CAS number: 107-21-1	EC number: 203-473-3
Classification Acute Tox. 4 - H302 STOT RE 2 - H373	
pyrithione zinc	<1%
CAS number: 13463-41-7	EC number: 236-671-3
M factor (Acute) = 1000	M factor (Chronic) = 10
Classification Acute Tox. 3 - H301 Acute Tox. 2 - H330 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Repr. 1B - H360D STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

Elegans Extra Mat Tavan

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

<1%

CAS number: 55965-84-9

M factor (Acute) = 100

M factor (Chronic) = 100

SCL:Skin Corr. 1C - H314C \geq 0,6 %Eye Irrit. 2 - H319: 0,06 % \leq C < 0,6 %Skin Irrit. 2 - H315: 0,06 % \leq C < 0,6 %Skin Sens. 1A - H317C \geq 0,0015 %

Classification

Acute Tox. 3 - H301

Acute Tox. 2 - H310

Acute Tox. 2 - H330

Skin Corr. 1C - H314

Eye Dam. 1 - H318

Skin Sens. 1A - H317

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Şüphede durumunda, derhal tıbbi yardım alın. Belirtiler ciddi veya kalıcı ise doktora başvurunuz. Bilinci kapalı olan kişiye asla ağızdan bir şey vermeyin. Bu Güvenlik Bilgi Formunu sağlık personeline gösterin.
Ingestion	IF SWALLOWED: Get medical attention immediately.
Skin contact	IF ON SKIN: Wash with plenty of water. Get medical attention if irritation persists after washing.
Eye contact	IF IN EYES: Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	Şüphede durumunda veya belirtilerin sürdüğü zamanlarda tıbbi yardım isteyin. Baygın durumdaki bir insana asla ağızdan bir şeyler vermeyin.
Ingestion	May be harmful if swallowed.
Skin contact	May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	There is no specific antidote. Treat symptomatically.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is non-combustible.
-------------------------------------	---------------------------------

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not relevant. No unusual fire or explosion hazards noted.
-------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known.
---	---

Special protective equipment for firefighters	No specific equipment is mandatory.
--	-------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Elegans Extra Mat Tavan

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Flush contaminated area with plenty of water. Contain spillage with sand, earth or other suitable non-combustible material.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Protect from freezing and direct sunlight. Store in tightly-closed, original container. Store in a cool and well-ventilated place.

7.3. Specific end use(s)

Usage description Use the product according to its Technical Data Sheet or instructions written on the label.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation.

Eye/face protection Wear chemical splash goggles.

Hand protection Wear protective gloves.

Other skin and body protection Wear apron or protective clothing in case of contact.

Hygiene measures Provide eyewash station. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

Environmental exposure controls Look upto Chapter 6

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance SIVI

Colour White.

Elegans Extra Mat Tavan

Odour	Characteristic.
pH	7,5-9,5
Flash point	Not relevant.
Upper/lower flammability or explosive limits	Not relevant.
Bulk density	1,70-1,90 g/ml
Viscosity	12000-14000 cps @25 °C

9.2. Other information

Other information	Matt.
-------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Stable under normal conditions.
------------	---------------------------------

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not relevant.
------------------------------------	---------------

10.4. Conditions to avoid

Conditions to avoid	Avoid freezing. Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects	May be harmful if swallowed.
-----------------------	------------------------------

Acute toxicity - oral

Notes (oral LD ₅₀)	1044 mg/kg(Zinc Pyrithione)
--------------------------------	-----------------------------

ATE oral (mg/kg)	45,454.55
------------------	-----------

Acute toxicity - dermal

Notes (dermal LD ₅₀)	>5000 mg/kg (Zinc Pyrithione)
----------------------------------	-------------------------------

Acute toxicity - inhalation

ATE inhalation (vapours mg/l)	3.0
-------------------------------	-----

General information	No specific health hazards known.
---------------------	-----------------------------------

Inhalation	No specific health hazards known.
------------	-----------------------------------

Ingestion	May cause discomfort if swallowed.
-----------	------------------------------------

Elegans Extra Mat Tavan

Skin contact	No specific health hazards known.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	May cause discomfort.
Medical symptoms	May cause discomfort if swallowed.
Medical considerations	No information available.

11.2 Information on other hazards

Information on other hazards

SECTION 12: Ecological information

Ecotoxicity	Not regarded as dangerous for the environment.
--------------------	--

12.1. Toxicity

Acute aquatic toxicity

Summary	EC50 /72 h: 0,051 mg/l (Pseudokirchneriella subcapitata) (Zinc Pyrithione)
	EC50 /72 h: 0,0013 mg/l (Skeletonema costatum) (Zinc pyrithione)
	EC50 /48 h: 0,051 mg/l (Daphnia magna) (Zinc pyrithione)
	LC50 /96 h: 0,0104 mg/l (Brachydanio rerio) (Zinc pyrithione)

Chronic aquatic toxicity

Summary	NOEC /21 d: 0,0022 mg/l (Daphnia Magna) (Zinc Pyrithione)
	NOEC /28 d: 0,00125 mg/l (Brachydanio rerio) (Zinc Pyrithione)
	NOEC /72 h: 0,0149 mg/l (Pseudokirchneriella subcapitata) (Zinc Pyrithione)
	NOEC /96 h: 0,00046 mg/l (Skeletonema costatum) (Zinc Pyrithione)

12.2. Persistence and degradability

Persistence and degradability	The product is not biodegradable.
--------------------------------------	-----------------------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	There is no information about experimental datas of product
----------------------------------	---

12.4. Mobility in soil

Mobility	Not considered mobile.
-----------------	------------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
---	---

12.6 Endocrine disrupting properties

Endocrine disrupting properties

12.6. Other adverse effects

Other adverse effects	Not available.
------------------------------	----------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Do not allow runoff to sewer, waterway or ground. Dispose of waste and residues in accordance with local authority requirements. No specific equipment is required. Wash the equipments after use.

Elegans Extra Mat Tavan

Waste class 08.01.11

SECTION 14: Transport information

14.1. UN number

UN number or ID number

UN No. (ADR/RID) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (User to define)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (User to define)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (User to define)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (User to define)

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6


ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number (ADR/RID) 90

Elegans Extra Mat Tavan

Tunnel restriction code (-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T.C. Çevre ve Şehircilik Bakanlığı, 11 Aralık 2013 tarihli, 28848 Sayılı, Maddelerin Ve Karışımların Sınıflandırılması, Etiketlenmesi Ve Ambalajlanması Hakkında Yönetmelik.

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by Emre ÇELİK/ Sertifika Numarası: KDU01.16.11 / Belge Tarihi: 12.04.2021

Revision date 27/08/2024

Revision 4

Supersedes date 18/02/2022

SDS number 22618

Hazard statements in full
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H331 Toxic if inhaled.
H360D May damage the unborn child if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H372 Causes damage to organs through prolonged or repeated exposure if swallowed or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled.

Signature Emre ÇELİK/Sertifika Numarası: KDU01.16.11/Belge Tarihi: 12.04.2021