SAFETY DATA SHEET PRIMERA CELLULOSIC THINNER

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	PRIMERA CELLULOSIC THINNER	
Product number	90W	
Container size	10 L, 12 L, 14 L	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	It can be used at thinning cellulosic products and in cleaning application tools.	
1.3. Details of the supplier of the safety data sheet		
1.4. Emergency telephone number		
Emergency telephone	ULUSAL ZEHIR DANISMA MERKEZI(UZEM):114 POLISAN KANSAI BOYA SAN. TİC. A.Ş. : +90 262 679 73 45	
SECTION 2: Hazards identification		

2.1. Classification of the substance or mixture		
Classification (SI 2019 No. 720)		
Physical hazards	Flam. Liq. 2 - H225	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Repr. 2 - H361d STOT RE 2 - H373	
Environmental hazards	Not Classified	

Classification (Regulation (EC) No. 1272/2008 CLP).

2.2. Label elements

Hazard pictograms



Signal word Hazard statements



Danger

H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233 Keep container tightly closed.
	P240 Ground and bond container and receiving equipment.
	P241 Use explosion-proof electrical equipment.
	P242 Use non-sparking tools.
	P243 Take action to prevent static discharges.
	P260 Do not breathe vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water or shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
	P308+P313 IF exposed or concerned: Get medical advice/ attention.
	P314 Get medical advice/ attention if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
	P403+P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	TOLUENE
2.3. Other hazards	
SECTION 3: Composition/info	rmation on ingredients
3.2. Mixtures	

ACETONE		60-80%
CAS number: 67-64-1	EC number: 200-662-2	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
toluene		20-25%
CAS number: 108-88-3	EC number: 203-625-9	
Classification		
Flam. Liq. 2 - H225		
Skin Irrit. 2 - H315		
Repr. 2 - H361d		
STOT SE 3 - H336		
STOT RE 2 - H373		

2-BUTOXYETHANOL	5-10%
CAS number: 111-76-2	EC number: 203-905-0
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
The full text for all hazard sta	tements is displayed in Section 16.
SECTION 4: First aid measur	res
4.1. Description of first aid me	easures
General information	If in doubt, get medical attention promptly. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person. Show this Safety Data Sheet to the medical personnel
Inhalation	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptom	s and effects, both acute and delayed
General information	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Vapours may cause drowsiness and dizziness.

 Ingestion
 If accidentally swallowed obtain immediate medical attention. Keep affected person warm and at rest. Do not induce vomiting.

 Skin contact
 Skin irritation. Harmful to health in contact with skin.

Eye contact Irritation, burning, lachrymation, blurred vision after liquid splash.

4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

Protective actions during firefighting	Contain and collect extinguishing water.
Special protective equipment for firefighters	Wear chemical protective suit. Use air-supplied respirator, gloves and protective goggles.
SECTION 6: Accidental release n	neasures
6.1. Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.
For non-emergency personnel	No data available.
For emergency responders	No data available.
6.2. Environmental precautions	
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Contain spillage with sand, earth or other suitable non-combustible material.
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	I
Usage precautions	Avoid spilling. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Avoid contact with skin and eyes.
Advice on general occupational hygiene	When using do not eat, drink or smoke. Do not smoke in work area. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
Usage description	Use the product according to its Technical Data Sheet or instructions written on the label.
SECTION 8: Exposure controls/P	ersonal protection
8.1. Control parameters	

Occupational exposure limits

ACETONE

Long-term exposure limit (8-hour TWA): WEL 500 ppm 1210 mg/m³ Short-term exposure limit (15-minute): WEL 1500 ppm 3620 mg/m³

toluene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³ Sk

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm(Sk) Short-term exposure limit (15-minute): WEL 50 ppm(Sk) WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

Ingredient comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Personal protection	Use the personal protective equipments showed above. Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space evacuate the area and check that solvent vapour levels are below the Lower Explosive Limit before re- entering.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Use protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.
Thermal hazards	No data available.
Environmental exposure controls	Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and chemical properties

10.4. Conditions to avoid

-		
9.1. Information on basic physical and chemical properties		
Appearance	Colourless liquid.	
Colour	Transparent.	
Odour	Characteristic.	
Flash point	-11°C	
9.2. Other information		
Refractive index	1,4640-1,4660	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	No potentially hazardous reactions known.	

Conditions to avoid	Avoid heat. Avoid contact with the following materials: Oxidising agents. Reducing agents.
10.5. Incompatible materials	Avoid field. Avoid contact with the following matchais. Oxidising agents. reducing agents.
Materials to avoid	Keep away from flammable and combustible materials.
10.6. Hazardous decomposition pr	
Hazardous decomposition	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).
products	
SECTION 11: Toxicological inform	ation
11.1. Information on toxicological	offects
Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity - oral	
ATE oral (mg/kg)	10,000.0
Acute toxicity - dermal	
ATE dermal (mg/kg)	22,000.0
Acute toxicity - inhalation ATE inhalation (gases ppm)	90,000.0
ATE inhalation (vapours mg/l)	220.0
ATE inhalation (dusts/mists mg/l)	30.0
Acute and chronic health hazards	Inhalation May cause respiratory system irritation. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache. SKIN CONTACT. Irritating to skin. Product has a defatting effect on skin. EYE CONTACT. Irritating to eyes. INGESTION. May cause discomfort.
11.2 Information on other hazards	
Information on other hazards	
Toxicological information on ingree	dients.
	toluene
Carcinogenicity	
IARC carcinogenici	ty IARC Group 3 Not classifiable as to its carcinogenicity to humans.
SECTION 12: Ecological informati	on
12.1. Toxicity	
Toxicity	No data available.
12.2. Persistence and degradabilit	у
Persistence and degradability	No data available
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvB as	sessment

Results of PBT and vPvB assessment	No data available.
12.6 Endocrine disrupting properties	
Endocrine disrupting properties	
12.6. Other adverse effects	
Other adverse effects	No information required.
SECTION 13: Disposal considerat	tions
13.1. Waste treatment methods	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport information	n
14.1. UN number	
UN number or ID number	
UN No. (ADR/RID)	1263
UN No. (IMDG)	1263
UN No. (ICAO)	1263
UN No. (ADN)	1263
14.2. UN proper shipping name	
Proper shipping name (ADR/RID)	PAINT RELATED MATERIAL
Proper shipping name (IMDG)	PAINT RELATED MATERIAL
Proper shipping name (ICAO)	PAINT RELATED MATERIAL
Proper shipping name (ADN)	PAINT RELATED MATERIAL
14.3. Transport hazard class(es)	
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3
Transport labels	
14.4. Packing group	
ADR/RID packing group	II
IMDG pooking group	

- IMDG packing groupIIICAO packing groupIIADN packing groupII
- 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user	
EmS	F-E, S-E
ADR transport category	2
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)
14.7. Transport in bulk according to	o Annex II of MARPOL and the IBC Code

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended).	
Guidance	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131.	

15.2. Chemical safety assessment

SECTION 16: Other information	
General information	This safety data sheet information was prepared as a requirement of Chemical Substances Regulations. Product 1 Chapter gives other than those specified. Utilization of the product are beyond our control to special conditions, the supplier, the consumer is responsible for ensuring that the requirements of legislation on the subject. Information consisting of present-day situation in this safety data sheet are based on national legislation, health, safety and environmental respects the way. Technical performance and does not guarantee suitability for specific situations. Based on our present knowledge projects, but they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Issued by	Emre ÇELİK/ Sertifika Numarası: KDU01.16.11 / Belge Tarihi: 12.04.2021
Revision date	15/12/2023
Revision	02
Supersedes date	28/02/2017
SDS number	20726
Hazard statements in full	 H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

Signature

Emre ÇELİK/Sertifika Numarası: KDU01.16.11/Belge Tarihi: 12.04.2021

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.